

Refillable Oxygen Gas Purifiers

304 Stainless Steel Body



Tomopal Part #	Description	Volume	Fittings
173-0300	Refillable Purifier	300 cc	¼" NPT- Capped

Features:

- 60 micron stainless steel frits
- Return to the distributor for refilling
- High efficiency and low resistance to gas flow
- Designed to remove oxygen and traces of water
- Primarily designed for applications involving gas chromatography, and gas manufacturing

Specifications:

	Cylinder Volume:	300 cc	300 ml	Maximum Pressure:	1800 psi (3000 psi on request)
	Length:	9.75″	24.8 cm	Maximum Temperature:	212° F (100° C)
	Outside Diameter:	2.0″	5.1 cm	Normal Flow Rate:	6.0 liters/min
	Purifying Capacity:	3600 ft ³	101.9 m ³	Oxygen Removal @ Norm Flow:	0.72 liter
	Shipping Weight:	4.0 lbs	1.81 kg	Maximum Flow Rate:	30.0 liters/min
Sł	Shipping Dimensions: 19 x 3 x 3"	19 x 3 x 3″	48.3 x 7.6 x 7.6 cm	Oxygen Removal @ Max Flow:	0.26 liter
				Remove Oxygen:	to 5 ppb
				Fitting Type:	1/4" NPT Capped

Finish:

Stainless Steel